
BuzziGrip

Product Specification Sheet

This document contains technical information about the BuzziGrip



www.buzzi.space




Acoustic panel with suction cups in BuzziFelt


All the advantages of the BuzziBoard combined with suction cups on the back, allowing easy attachment to cupboards or windows. Wherever you put it, you keep your life organized with a cool look and a hint of rebellion.

Design by Sas Adriaenssens

General

 BuzziGrip

 2 layers of BuzziFelt stitched together
Suctioncups

 Min. W 40 cm | 15.75" H 40 cm | 15.75"
Max. W 120 cm | 47.24" H 200 cm | 78.74"

 Dry usage

Technical info

BuzziGrip is made of 100% recycled PET bottles and has excellent acoustic characteristics. Slight variation can occur in color, size, and density as a result of the nature of the product. For an optimal match, we advise products that are in each other's vicinity, originate from the same order/batch.

Use

- For vertical use only
- Please note that the suction cups will not adhere to modified glass, frosted, sandblasted, etched,... glass
- To prevent detachment or gliding of the suction cups on the window, make sure there is no detergent, chalk, mineral or any kind of dry residue left on the cups or the glass after cleaning. To remove dry residue, clean the cups and window with vinegar water or osmose water (demineralized water).

Acoustics



Absorption

Content

Composition	3
Fabrics	3
Dimensions	4
Acoustics	5


Configuration

BuzziGrip


- 🌲 2 layers of BuzziFelt stitched together
Suction cups

✂ Min. W 40 cm | 15.75" H 40 cm | 15.75"
Max. W 120 cm | 47.24" H 200 cm | 78.74"

- For vertical use only
- Please note that the suction cups will not adhere to modified glass, frosted, sandblasted, etched,... glass
- To prevent detachment or gliding of the suction cups on the window, make sure there is no detergent, chalk, mineral or any kind of dry residue left on the cups or the glass after cleaning. To remove dry residue, clean the cups and window with vinegar water or osmose water (demineralized water).



Component




Suction cups: quantity depends on size of the BuzziGrip
Stitch: always OffWhite
(except stitch in Anthracite for BuzziGrip OffWhite)

Panel attached to a surface with suction cups
For vertical use only
Please note that the suction cups will not adhere to modified glass, frosted, sandblasted, etched,...

Fabrics

Felt



Composition 100% Recycled P.E.T. Felt, latex backing

Weight 1.000 g/m2 | 29.49 oz/yd2

Abrasion resistance >7.000 Martindale



Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified

Fastness to light USA 5



Dimensions


Side View



Acoustics

BuzziGrip

Absorption coefficient



Hz	α^s
125	0.00
250	0.10
500	0.00
1000	0.28
2000	0.78
4000	1.00

Absorption Values

α
(ISO 11654) **0.36**

NRC
(ASTM - C423) **0.29**

SAA
(ASTM-C423) **0.32**

Class
(ISO 11654) **D**